SUBJECT INDEX

Adhesive strength, p. 135
Aerogels, p. 396
Aging, p. 75
Alkali metal, p.135
Apparent viscosity coefficient, p. 544
Appliance, pp. 75, 208, 396
Attenuation, p. 155
Automotive interior applications, p. 361
Automotive seating, pp. 155, 430
Blowing agent diffusion, p. 208
Blowing agents, pp. 65, 124, 135, 174, 208, 219, 349, 511
Carbon dioxide, p. 312
Catalyst, p. 135
Cell structure, p. 111
Cellular plastics, pp. 18, 75
Chlorofluorocarbon (CFC) elimination, p. 135
Chlorofluorocarbon (CFC) replacements, p. 91
Compression hardness, p. 329
Compression set, p. 544
Compressive properties, p. 18
Computer simulated stress modeling, p. 412
Construction, pp. 18, 75
Cryogenic, p. 412
Die swell, p. 498
Dimensional stability, pp. 18, 75, 111
Dynamic durability, p. 544
Dynamic fatigue, p. 430
Dynamic modulus, p. 430
Elastomers, p. 329
  low density, p. 329
  polyester-based polyurethane, p. 329
  polyurethane, p. 329
  thermoplastic, p. 304
Expansion coefficient, p. 412
Extrusion foaming, p. 498
Flammability resistance, p. 135
Flory-Huggins theory, p. 219
Flowability, pp. 135, 208
Foam, pp. 124, 174, 183, 219, 231, 312, 526
  appliance, pp. 65, 91
  fine cell, p. 65
  flexible, p. 526
  flexible molded, p. 430
  flexible polyurethane, p. 544
  HCFC, pp. 65, 91
  HCFC-141b, pp. 65, 91
  HR, p. 430
  low density appliance, p. 91
  low *k*-factor appliance, p. 91
  low thermal conductivity, p. 65
  low thermal conductivity appliance, p. 91
  PIR, p. 412
  polyisocyanurate, pp. 18, 75
  polyurethane, pp. 18, 65, 75, 91, 155
  refrigerator, p. 91
  reinforced, p. 361
  rigid, pp. 18, 75, 91, 124, 349, 467
  rigid PU, pp. 111, 208
  thermoplastic, p. 498
Foam chemistry choices, p. 430
Foam extrusion, p. 304
Foam structure, p. 304
Footwear, p. 329
Freeze stable density, p. 208
Friability, p. 135
FT-IR, p. 544
Hard segments, p. 526
HCFC 141b, p. 467
HCFC 142b, p. 219
HFC-125, p. 219
HFC-134a, p. 219
HFC-245fa, pp. 208, 467, 511
HFC 365mfc, p. 511
Hydrocarbon, p. 467

SUBJECT INDEX

Adhesive strength, p. 135
Aerogels, p. 396
Aging, p. 75
Alkali metal, p.135
Apparent viscosity coefficient, p. 544
Appliance, pp. 75, 208, 396
Attenuation, p. 155
Automotive interior applications, p. 361
Automotive seating, pp. 155, 430
Blowing agent diffusion, p. 208
Blowing agents, pp. 65, 124, 135, 174, 208, 219, 349, 511
Carbon dioxide, p. 312
Catalyst, p. 135
Cell structure, p. 111
Cellular plastics, pp. 18, 75
Chlorofluorocarbon (CFC) elimination, p. 135
Chlorofluorocarbon (CFC) replacements, p. 91
Compression hardness, p. 329
Compression set, p. 544
Compressive properties, p. 18
Computer simulated stress modeling, p. 412
Construction, pp. 18, 75
Cryogenic, p. 412
Die swell, p. 498
Dimensional stability, pp. 18, 75, 111
Dynamic durability, p. 544
Dynamic fatigue, p. 430
Dynamic modulus, p. 430
Elastomers, p. 329
  low density, p. 329
  polyester-based polyurethane, p. 329
  polyurethane, p. 329
  thermoplastic, p. 304
Expansion coefficient, p. 412
Extrusion foaming, p. 498
Flammability resistance, p. 135
Flory-Huggins theory, p. 219
Flowability, pp. 135, 208
Foam, pp. 124, 174, 183, 219, 231, 312, 526
  appliance, pp. 65, 91
  fine cell, p. 65
  flexible, p. 526
  flexible molded, p. 430
  flexible polyurethane, p. 544
  HCFC, pp. 65, 91
  HCFC-141b, pp. 65, 91
  HR, p. 430
  low density appliance, p. 91
  low *k*-factor appliance, p. 91
  low thermal conductivity, p. 65
  low thermal conductivity appliance, p. 91
  PIR, p. 412
  polyisocyanurate, pp. 18, 75
  polyurethane, pp. 18, 65, 75, 91, 155
  refrigerator, p. 91
  reinforced, p. 361
  rigid, pp. 18, 75, 91, 124, 349, 467
  rigid PU, pp. 111, 208
  thermoplastic, p. 498
Foam chemistry choices, p. 430
Foam extrusion, p. 304
Foam structure, p. 304
Footwear, p. 329
Freeze stable density, p. 208
Friability, p. 135
FT-IR, p. 544
Hard segments, p. 526
HCFC 141b, p. 467
HCFC 142b, p. 219
HFC-125, p. 219
HFC-134a, p. 219
HFC-245fa, pp. 208, 467, 511
HFC 365mfc, p. 511
Hydrocarbon, p. 467

Hydrochlorofluorocarbon (HCFC), pp. 124, 183
Hydrofluorocarbon (HFC), pp. 124, 174, 183, 208
Hysteresis loss, p. 430
Indentation, p. 231
Indentation hardness, p. 329
Insulation, pp. 111, 174, 183, 412
  foam, pp. 18, 75
  liquified natural gas pipe, p. 412
  pipe, p. 412
  polyisocyanurate, p. 39
  polyurethane foam, p. 174
  refrigerator, p. 65
Isobutane, p. 312
Isopropanol, p. 219
JASO vibration test, p. 430
k-factor, p. 183
Laminated panel, p. 467
Lamination, p. 467
Laser displacement, p. 135
Load bearing, p. 430
Load loss, p. 430
Low ODP, p. 467
Magnetic suspension device, p. 312
MDI, pp. 155, 544
Mechanical properties, pp. 18, 75, 231
Melt rheology, p. 498
Melt strength, p. 498
Microporosity, p. 396
Midsole wedges, p. 329
Nitrogen, p. 312
NMR, p. 544
Nucleating agent, p. 304
Pentane, p. 467
PET, p. 498
Plant polyols, p. 361
Poisson's ratio, pp. 231, 412
Polyethylene, p. 312
Polyisocyanurate, pp. 135, 349, 396, 412, 467
Polymers, p. 312
Polystyrene, p. 219
Polyurethane, pp. 124, 135, 174, 183, 329, 349, 396, 467, 526
Polyurethane systems, p. 361
Quaternary ammonium salt, p. 135
Reactive processing, p. 498
Resiliency, pp. 155, 231
Resonance, p. 155
Resonance frequency, p. 430
Solubility, pp. 124, 219, 312, 349
Static durability, p. 544
Static fatigue, p. 430
Structural performance, pp. 18, 75
Super insulant, p. 396
TDI, pp. 155, 544
Tensile, p. 412
Tertiary amine, p. 135
Thermal aging, p. 39
Thermal conductivity, pp. 65, 412
Transmissibility, pp. 155, 430
Transmissivity, p. 155
Trimerization, p. 135
Tropical fatigue, p. 430
Vacuum insulation, p. 396
Vibration characterization, p. 155
Vibration damping, p. 430
Vibration durability, p. 544
Vibration effects, p. 430
Vibration sources, p. 430

AUTHOR INDEX

Adam, N., p. 467
Bagaglio, G., p. 329
Barthélemy, P., p. 511
Biesmans, G., pp. 75, 349, 396
Börner, K., p. 511
Bowers, J. D., p. 18
Broos, R., p. 430
Burns, S. B., p. 18
Camargo, R. E., p. 329
Casati, F. M., p. 430
Cavender, K. D., p. 155
Chan, N., p. 231
Chaudhary, B. I., p. 312
Christian, J. E., p. 39
Chun, J. H., p. 111
Crocco, G., p. 155
Dahlke, B., p. 361
Daigneault, L. E., p. 219
Dent, A., p. 329
Desjarlais, A., p. 39

Dey, S. K., p. 498
Dobransky, M. A., p. 174
Doerge, H. P., pp. 65, 91
Dournel, P., p. 511
Durocher, D. T., p. 261
Evans, K. E., p. 231
Ference, D. M., p. 183
Fishback, T. L., p. 261
Francais, E., p. 396
Graves, R., p. 39
Handa, Y. P., p. 219
Harris, M. S., p. 412
Herrington, R. M., p. 430
Herrmann, T., p. 304
Hiraide, T., p. 544
Indesteege, J., p. 329
Ingold, K. A., p. 174
Isobe, M., p. 544
Johns, A. I., p. 312
Karremans, M., pp. 75, 349
Keary, A., p. 412
Kierkus, P. C., p. 261
Kim, S. H., p. 111
Kinkelaar, M. R., p. 155
Kreyenschmidt, M., p. 526
Kropp, D., p. 304
Krücke, W., p. 511
Kuczynski, E. T., p. 272
Larbig, H., p. 361
Latham, I., p. 124
Li, Y., p. 498
Logsdon, P. B., p. 208
Lowe, D. W., p. 135
Mackey, P. W., p. 329
McDonald, P. C., p. 412
McGee, I. E., p. 174
Mertes, J., p. 526
Michaeli, W., p. 304
Miyazaki, Y., p. 430
Moore, S. E., p. 183
Nightingale, C., p. 412
Obata, M., p. 544
Ohkubo, K., p. 544
Okuzono, S., p. 135
O'Shea, M., p. 498
Parker, R. C., p. 208
Perrut, M., p. 396
Poltrock, R., p. 361
Randall, D., pp. 75, 349, 396
Rossitto, F. C., p. 467
Sakai, S., p. 544
Scherzer, H. D., p. 361
Schrepp, W., p. 526
Schröder, O., p. 304
Shin, S. H., p. 111
Singh, S. N., pp. 18, 75, 349
Smith, T. L., p. 39
Stutz, H., p. 526
Tae, B. S., p. 111
Tokumoto, K., p. 135
Utsumi, H., p. 544
Venegas, M. H., p. 65
Weierstall, M., p. 272
Williams, D. J., p. 208
Wong, B., p. 219
Xanthos, M., p. 498
Yilmazer, U., p. 498
Yoshimura, H., p. 135
You, K. K., p. 261
Yu-Hallada, L. C., p. 272
Zhang, Q., p. 498
Zipfel, L., p. 511